Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	443	((voltage near2 (check$3 detect$3 sens$3 measur$5 test$3 determin$3 monitor$3 diagnos$3 identif$7 record$5 meter$5)) same (resist$5 adj bridge)) and @ad<"20030910"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 07:39
L2	11	l1 and (voltage adj (transformer coil limiter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 07:41
S1	138	(324/648,647.ccls.) and @ad<"20030910"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:42
S2	171	(324/629,600.ccls.) and @ad<"20030910"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 11:57
S3	1	S1 and (voltage adj (transformer coil))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 08:26
S4	2	S2 and (voltage adj (transformer coil))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 08:26
S5	1136	(voltage adj2 (transformer coil)) with temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 08:29

S79	32	S78 and bridge same (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:59
S80	14	S79 and bridge with resist$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:59
S81	30865	(voltage adj (transformer coil limiter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 08:42
S82	27097	S81 and @ad<"20030910"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 08:42
S83	328	S82 and first adj secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 08:42
S84	284	S83 and second adj secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 08:42
S85	158	S84 and (secondary adj (winding coil)) same (primary adj (winding coil)) same (ratio turn number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 08:46
S86	3	S85 and resist$5 near2 bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 09:03

S87	4	S84 and resist$5 near2 bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:08
S88	2	S84 and resist$5 adj bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 10:09
S89	3	S83 and resist$5 adj bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 09:14
S90	99	S82 and resist$5 adj bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 07:37
S91	22	S82 and resistive adj bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 09:46
S92	1	((second adj secondary adj (winding coil)) and (resistive adj bridge)) and @ad<"20030910"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 10:57
S93	3	("2,998,569").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 10:09

S94	50	((secondary adj (winding coil)) and (resistive adj bridge)) and @ad<"20030910"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 11:07
S95	1	((first adj secondary adj (winding coil)) and (resistive adj bridge)) and @ad<"20030910"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 10:58
S96	30865	(voltage adj (transformer coil limiter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 07:41
S97	27097	S96 and @ad<"20030910"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:00
S98	328	S97 and first adj secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:08
S99	284	S98 and second adj secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:00
S100	158	S99 and (secondary adj (winding coil)) same (primary adj (winding coil)) same (ratio turn number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:00
S101	255	S97 and resist$5 near2 bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:08

S102	6	S101 and first adj secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/09 16:09